


FIG.3

PAINT NO.	INFORMATION FOR IDENTIFYING CUSTOMER	INFORMATION OF OESIGNATED COLOR	INFORMATION FOR IDENTIFYING INGREDIENTS	INFORMATION RELATED TO INGREDIENTS	INFORMATION OF PERFORMANCES	INFORMATION OF PERFORMANCE VERIFICATIONS
1-03-0001	COMPANY T, LINE A	SILVER FOR AUTOMOBILE A	INGRED ENTS No. 0001	COST RANK A	AQUEOUS BASECOAT / ACID RAIN RESISTANCE CLEAR	CONCEALMENT=A, WEATHER DURABILITY=A, PAINTING WORKABILITY=B, FILM PROPERTY=A
1-03-0002	COMPANY T, LINE A	DARK BLUE FOR AUTOMOBILE A	INGREDIENTS NO. 0002	COST RANK C	AQUEOUS BASECOAT / ACID RAIN RESISTANCE CLEAR	CONCEALMENT=B, WEATHER DURABILITY=A, PAINTING WORKABILITY=B, FILM PROPERTY=A
M-03-0001	COMPANY M, LINE B	RED FOR AUTOMOBILE B	INGREDIENTS No. 0003	COST RANK D	SOLVENT BASECOAT / ACRYL MELAMINE BASED CLEAR	CONCEALMENT=C, WEATHER DURABILITY=B, PAINTING WORKABILITY=B, FILM PROPERTY=B
M-03-0002	COMPANY M, LINE B	SILVER FOR AUTOMOBILE B	INGREDIENTS No. 0004	COST RANK A	SOLVENT BASECDAT / ACRYL MELAMINE BASED CLEAR	CONCEALMENT=A, WEATHER DURABILITY=A, PAINTING WORKABILITY=B, FILM PROPERTY=A

FIG.4



SHADE

HIGHLIGHT

SAMPLE COLOR




FIG.6


INGREDIENTS


PIGMENT A	15.0
PIGMENT B	5.0
PIGMENT C	5.0
PIGMENT D	2.0
TOTAL	27.0


FIG.7














FIG.9
PREDICTED PERFORMANCES

	PREDICTED RANK	COMMENTS
WEATHER DURABILITY	Α	ок
PAINTING WORKABILITY A	В	ok .
PAINTING WORKABILITY B	Α	ок
COATING FILM PERFORMANCE A	C	ок
COATING FILM PERFORMANCE B	C	ок
COATING FILM PERFORMANCE C	D	NG (BECAUSE PIGMENT B IS INCLUDED)


FIG.10


CLIENT COMPUTER
FOR DESIGNATING
COLOR
COLOR
NETWORK
13

PAINT PRODUCING

> SERVER COMPUTER FOR DESIGNING PAINT

SYSTEM









FIG.14



.

1

	SYSTEM	CLIENT COMPUTER FOR DESIGNATING COLOR	PAINTING SYSTEM	PAINT PRODUCING SYSTEM	SERVER COMPUTER FOR DESIGNING	INFORMATION Providing Server	NOTES
A	F1G. 1	\$10	\$17	\$16	\$11~15		
В	FIG. 10	810	\$17	I	\$11~16	1	
၁	C FIG. 11	\$10	\$16, 17	ı	\$11~15	ı	
۵	F1G. 12	ľ	\$10, 17	1	\$11~16	1	
ш	F1G. 13	ı	510, 16, 17	ı	\$11~15	t	
ц.	F1G. 14	1	\$10~17	•	I	INFORMATION PROVIDING	

SYSTEM COMPUTER FOR PAINTING SYSTEM DIAGRAM COMPUTER FOR PAINT COMPUTER FOR COMPUTER FOR PROVIDING SYSTEM SYSTEM SYSTEM SYSTEM SYSTEM STIC. 12 SIO, 17 SIG SII.~15 - PRODUCING SYSTEM SYSTEM OF FIG. 13 - SIO, 17 SIG SII.~15 - PRODUCING SYSTEM				
SYSTEM COMPUTER FOR PAINTING PAINT COMPUTER FOR DESIGNATING SYSTEM SYSTEM SYSTEM COLOR - S10, 17 S16 S11~15 VARIATION - S10, 17 S16 S11~15 OF FIG. 13 - S10, 17 S16 S11~15	NOTES	INDEPENDENT PRODUCING SYSTEM	INDEPENDENT PRODUCING SYSTEM	
SYSTEM COMPUTER FOR PAINTING PRODUCING DESIGNATING SYSTEM SYSTEM COLOR - S10, 17 S16 VARIATION - S10, 17 S16 VARIATION - S10, 17 S16 OF FIG. 13 - S10, 17 S16	INFORMATION Providing Server	l	I	
SYSTEM COMPUTER FOR PAINTIN DIAGRAM DESIGNATING SYSTEM COLOR OF FIG. 12 - S10, 17 OF FIG. 13 - S10, 17	SERVER COMPUTER FOR DESIGNING PAINT	S11~15	S11~15	
SYSTEM COMPUTER FOR PAINTIN DIAGRAM DESIGNATING SYSTEM COLOR OF FIG. 12 - S10, 17 OF FIG. 13 - S10, 17	PAINT PRODUCING SYSTEM	\$16	\$16	
SYSTEM COMPONIAGE OF FIG. 12 VARIATION VARIATION OF FIG. 13		\$10, 17	\$10, 17	
SYSTEM DIAGRAM VARIATION OF FIG. 12 VARIATION OF FIG. 13	CLIENT COMPUTER FOR DESIGNATING COLOR	_	-	
8 B		VARIATION OF FIG. 12	VARIATION OF FIG. 13	
		A	8	